Version No.: 2024.04





# **FMW-ECO**

- Handheld Laser Welding Machine -:

# **EEF** Company Culture



Intelligent manufacturing changes future

VALUES

Customer-focused and employee-based

**S** VISION

Become a respectable enterprise in the global metal forming equipment field

# ::: Company Profile



**19**Global Branches



100+ Countries Covered



**5**Manufacturing Bases



**30+** Global Service Centers



8,000+
Annual Capability



135,000m<sup>2</sup> Occupied Area

# FMW-ECO 1000-3000W

## Handheld Laser Welding Machine



## Technical Parameters

| Technical Parameters       | FMW-ECO  |
|----------------------------|--|
| Power                      | 1000-3000W                                       |
| Laser Welding Head         | Galvanometer single pendulum laser welding joint |
| Operating System           | Hand held welding control system                 |
| Dc wire feeder             | Standard   |
| Touch Screen               | Standard   |
| Machine Overall Dimensions | 710mm*1030mm*1176mm                              |

<sup>\*</sup> Machine appearance, technical parameters, function description, data comparison shown in this page are from HSG in-house laboratory. All testing results and experimental data shall be subject to real machine.

#### **Swing Welding Technology**

 WOBBLE welding heads have the swing welding model which the facula can be adjusted with strong welding fault tolerance. The technology can compensates for the disadvantage of the small laser welding spot and extends the tolerance range and weld width of the machined part to obtain a better weld formation.











### Work-piece welding in one operation

- Simple to operate and easy to train. The work-piece can be welded in one operation.
- The laser head is light, flexible and can weld any part of the work-piece, making welding work more efficient, safe, energy efficient and environmentally friendly.

### **Dual Temperature and Control chiller**

 The machine is self-equipped with dual temperature and control chiller for constant temperature control heat dissipation and ensuring the core optical components heat dissipation with fiber laser, which are stable and efficient.





## Handheld Welding Laser Head

• WOBBLE handheld welding laser head with ergonomic design can be operated easily and persist in working.

#### Safe Ground Wire

• Workers, machine and instrument are well protected to make sure of no-break work in case of electric leakage.







#### DC Dual-driven Wire Feeder


• The dual-driven wire feeder performs stably in wire feeding effects.

#### Machine Foundation \*The marked size has about 10mm error











#### **:::** Cutting Samples



## Welding Strength







# As a global enterprise, HSG sticks to providing professional and convenient service support to customers at home and board



#### **Professional Training**

Multiple technical training services and free operation training are provided for customers and dealers in a timely manner.



#### **Efficient Support**

Humanistic service model, online services and 7\*24 hotline to offer solutions and assistance.



#### **Optimized Transport**

Multi-channel transport solutions and a professional transport solution team providing various transport cases to satisfy the demand of customers and save transportation fees.



#### **Sufficient Accessories**

Highly efficient accessory delivery service; multiple network inventories jointly respond to accessory demand, shortening customers' waiting times and accelerating production.



#### **Careful Services**

Domestic door-to-door service and free proofing, with over 100+ dealers providing efficient and convenient services.



## Intelligent Manufacturing Changes Future



Website



Facebook



Youtube

Headquarters Add.: No. 4, Anye Road, Shunjiang Community Industrial Park,

Beijiao Town, Shunde District, Foshan, Guangdong, China

Website: www.hsglaser.com Email: info@hsglaser.com Tel:+86 757-66833906